Dialectical Behaviour Therapy (DBT) Informed Practice

THE TALKING THERAPIES UK PRACTITIONER SERIES



Dialectical Behaviour Therapy (DBT) Informed Practice

The complete practitioner pathway, from foundation through to advanced practice

Advanced level · 70 hours of continuing professional development

TALKING THERAPIES UK

First edition · 2026

Published by Talking Therapies UK, talkingtherapies.co.uk.

Copyright © 2026 Talking Therapies UK. All rights reserved.

The moral right of the author has been asserted. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the publisher, except for brief quotations in a review, and except that a purchaser of the accompanying course may print a single copy for their own study.

First edition, 2026.

This manual accompanies the Dialectical Behaviour Therapy (DBT) Informed Practice course in the Talking Therapies UK Digital Classroom, from which its content is drawn and against which it is kept current.

Revision 9. This printing was set on 10 November 2026 from the course as it stood that day.

A note on the clinical material. Every case in this book is a fictional composite written for teaching. No real person appears in it, however disguised. Nothing here constitutes clinical supervision, and nothing in it replaces the judgement of a qualified practitioner working within their competence, their professional body's code and their local governance. Where guidance is cited it was current at the date of this edition; readers must check the standing of any guidance before relying on it.

Set in Poppins and Roboto, the Talking Therapies UK typefaces. Figures drawn by the Talking Therapies UK teaching-diagram engine.

Contents

How to use this manual 1

Part 1 DBT Skills Foundations 5

1. The biosocial theory 6
2. The dialectic: acceptance and change together 12

How to use this manual

This volume gathers the whole of the Talking Therapies UK pathway in Dialectical Behaviour Therapy (DBT) Informed Practice into a single book. Each of its parts is a complete course from the practice's training library, and each chapter is a lesson from that course, so the volume covers the subject in the order in which it is taught, from foundation through to advanced practice. It is written for psychotherapists, psychologists and other qualified psychological therapists, and it assumes a caseload and access to supervision.

The constituent courses are: DBT Skills Foundations; DBT Foundations: Theory and Mindfulness; DBT-Informed Practice; DBT Skills: Distress Tolerance and Emotion Regulation; DBT Skills: Interpersonal Effectiveness and Delivery; Advanced DBT-Informed Work with Dysregulation; Teaching Dialectical Behavioural Therapy (DBT) Skills.

This manual is the written form of a course taught in the Talking Therapies UK Digital Classroom. It is set at advanced level and carries 70 hours of continuing professional development for practitioners who complete the accompanying course and its assessment.

It is written to be read in order. Each part opens with what it is for; each chapter teaches one idea to a working depth and closes with the points worth keeping and a practice task that converts reading into something you do. The tasks are the part most often skipped and the part that most reliably changes practice, and several of them are designed to be taken to supervision rather than completed alone.

The figures are teaching diagrams rather than decoration. Each is the conventional form of a model you will meet in the literature and in supervision, drawn in one visual language across the whole series so that the shape of an idea is recognisable wherever it reappears.

Where a chapter draws on published work, the reference is named in the text and gathered in the further reading at the back. Terms of art are defined in the glossary, which is worth reading straight through once before you begin.

What this manual will leave you able to do

- Explain the biosocial model of emotion dysregulation and its treatment implications
- Describe the four DBT skills modules and what each teaches
- Teach core mindfulness skills: observe, describe and participate, one-mindfully, non-judgementally, effectively
- Coach basic distress tolerance skills for crisis moments, including TIP and self-soothing
- Describe the dialectical stance: acceptance of this moment and work for change held together
- Recognise when a client's difficulties call for full-programme DBT and refer accordingly
- Explain dialectics as DBT's philosophical engine: thesis, antithesis and synthesis in clinical form
- Describe the biosocial model and use it to make dysregulation comprehensible and non-blaming
- Teach the mindfulness 'what' skills: observe, describe and participate
- Teach the mindfulness 'how' skills: non-judgementally, one-mindfully and effectively
- Explain wise mind and coach clients to find it
- Structure skills teaching: didactic, practice, feedback and homework
- Deliver skills teaching in the emotion regulation module, from naming emotions to opposite action
- Coach interpersonal effectiveness skills, including DEAR MAN, GIVE and FAST, with rehearsal
- Conduct a chain analysis of a problem behaviour and build a solution analysis onto it
- Use validation strategically, at the right level, as the acceptance side of the dialectic
- Apply DBT-informed structure, including diary cards and skills coaching, in individual work
- Hold the hierarchy of treatment targets when sessions pull in every direction
- Teach crisis-survival skills: STOP, TIP, distraction and self-soothing, with rehearsal

- Teach radical acceptance and willingness against wilfulness
- Coach the emotion-regulation model: prompting events, interpretations, responses and after-effects
- Teach vulnerability reduction with PLEASE and pleasant-events scheduling
- Coach opposite action with correctly identified emotions and urges
- Judge which module a moment calls for: tolerating this crisis or regulating the pattern
- Teach objective effectiveness with DEAR MAN, with realistic scripting and rehearsal
- Teach relationship effectiveness with GIVE and self-respect effectiveness with FAST
- Coach intensity calibration: how strongly to ask or refuse, and when to let go
- Run skills groups: structure, pacing, homework review and managing group process
- Coach skills generalisation between sessions within sustainable boundaries
- Weave all four modules into coherent responses to real client situations
- Apply DBT-informed practice to severe, chronic dysregulation, self-harm and suicidal behaviour within your service's limits
- Balance change and acceptance strategies moment to moment with highly sensitised clients
- Manage therapy-interfering behaviour, your own included, dialectically
- Use telephone-coaching principles and inter-session contact within clear, sustainable boundaries
- Apply the consultation-team ethos to protect fidelity and prevent burnout
- Evaluate the DBT evidence base, including adaptations and what full-programme delivery adds
- Demonstrate the practical application of the dialectical stance by balancing validation with strategies for behavioural change.
- Implement core emotion regulation skills including Opposite Action and Check the Facts in clinical practice.
- Apply structured interpersonal frameworks such as DEAR MAN to enhance assertive communication and reduce relational conflict.

- Utilise physiological distress tolerance interventions including TIPP to manage acute emotional crises effectively.
- Synthesise complex clinical formulations using behavioural chain analysis to address therapy-interfering behaviours.

PART 1

DBT Skills Foundations

The dialectic of acceptance and change, and the four skills modules that regulate a dysregulated life.

CHAPTER 1

The biosocial theory

Dialectical Behaviour Therapy (DBT) emerged from a stark recognition that conventional cognitive-behavioural approaches were insufficient for a subset of clients whose lives were dominated by chronic emotional turbulence and self-destructive behaviours. In the early 1980s, Marsha Linehan, working with women who repeatedly attempted suicide and would later be diagnosed with borderline personality disorder, observed that standard change-focused CBT not only failed to reduce risk but often intensified the very distress it aimed to alleviate. The routine use of thought records, behavioural experiments and skills assignments conveyed, albeit unintentionally, a message that the client's internal experience was erroneous and required correction. This message echoed the invalidation that many of these clients had endured throughout their developmental histories, reinforcing a sense of being misunderstood and dismissed. When the therapeutic stance shifted solely to acceptance, the soothing warmth provided little protection against the relentless escalation of emotional pain; clients continued to experience lives that felt unlivable. The paradox that emerged was clear: a therapeutic approach that could simultaneously validate the client's present emotional reality while fostering genuine change was required. This paradox gave rise to DBT, a treatment that weaves acceptance and change into a single, dialectical fabric.

At the heart of DBT lies the biosocial theory, a model that explicates the genesis of pervasive emotional dysregulation through the interaction of two fundamental forces across the lifespan. The first force is biological and is termed emotional vulnerability. This vulnerability is rooted in temperament and neurobiological factors that confer heightened sensitivity to emotional stimuli, rapid and intense emotional reactivity, and a protracted return to baseline after activation. Empirical work, such as that of Linehan (1993) and later neuroimaging studies by Schmahl and Bremner (2006), has demonstrated that individuals with borderline personality disorder exhibit amplified amygdala responses and reduced prefrontal regulatory capacity, supporting the notion of an innate emotional susceptibility.

The second force is social, embodied in what Linehan describes as an

invalidating environment. An invalidating milieu is one in which a child's emotional expressions are consistently dismissed, punished, or pathologised. Phrases such as "stop being so dramatic" or "you're overreacting" become the normative response to genuine affective experience. The invalidation may be overt, as in harsh criticism, or covert, as in the failure to acknowledge the child's feelings. The Social GGRRAAACCEEESSS model, which delineates the multiple layers of familial, educational, and cultural invalidation, illustrates how pervasive these messages can become. Importantly, the biosocial theory is transactional rather than blame-oriented: a child with pronounced emotional vulnerability can be overwhelmed by a family that, while not intentionally cruel, is ill-equipped to respond to the child's heightened affect. The mismatch between the child's biological sensitivity and the environment's capacity to validate creates a fertile ground for maladaptive learning.

Through this transaction, the child learns a set of survival strategies that are functional in the short term but maladaptive in the long run. Because emotional displays are punished, the child refrains from labelling or modulating emotions and instead adopts extreme escalation as a means of being heard. Self-injurious behaviour, substance use, or dissociation become the only reliable methods to achieve a temporary reduction in overwhelming affect. These behaviours are not merely symptomatic; they are learned survival tactics that have been reinforced by the environment's failure to provide more adaptive regulation tools. Consequently, the adult who emerges carries a narrative in which emotions are experienced as sudden, incomprehensible storms, and the only viable response is frantic control or self-harm. Identity becomes entangled with external validation, and relationships oscillate between desperate attachment and explosive rupture.

The clinical power of the biosocial theory lies in its capacity to foster compassion while maintaining precision. When a therapist reframes a client's apparently manipulative behaviour as a learned survival response, the client is no longer judged as a "troublemaker" but understood as a person who has been taught that only extreme signals gain attention. This reframing does not excuse the behaviour; rather, it acknowledges that the behaviour makes sense within the client's developmental context and simultaneously recognises the necessity for change because the behaviour ultimately erodes the very safety it was designed to protect. Every component of DBT—validation strategies, the skills curriculum, chain

analysis, and the hierarchy of treatment targets—serves to supply, in a deliberate and delayed fashion, what the original transaction failed to teach: that inner experience can be legible, tolerable, and manageable, and that a life worth living can be constructed by a person who has never been taught those skills.

To illustrate the biosocial theory in practice, consider the case of Anna, a 28-year-old woman who presents for DBT after multiple admissions for suicidal ideation. Anna reports that she feels “like a volcano ready to explode” when minor setbacks occur, such as a colleague forgetting to reply to an email. Her emotional vulnerability is evident: she describes a lifelong pattern of intense emotional reactions that seem disproportionate to the trigger, and she notes that it can take hours for her mood to settle after an upset. Anna’s developmental history reveals an upbringing in a household where emotional expression was routinely dismissed. Her mother, a single parent working long hours, would often say, “You’re being dramatic, just get on with it,” while her father, when present, would respond to any display of distress with silence or a brief reprimand. The family’s coping style was to “keep it together” and avoid any discussion of feelings. Over time, Anna learned that the only way to be noticed was to amplify her distress, leading her to engage in self-harm whenever she felt that her internal turmoil was invisible to others.

In the first DBT session, the therapist conducts a chain analysis of a recent self-harm episode. The analysis begins with the precipitating event—Anna’s colleague’s failure to respond to an email—followed by the vulnerability factors (her heightened emotional sensitivity and slow return to baseline) and the environmental triggers (the memory of past invalidation when she expressed disappointment). The therapist then identifies the skill deficits: Anna lacked the ability to observe her emotions without judgment, to describe them accurately, and to tolerate the distress without resorting to self-harm. The chain analysis culminates in the identification of the problem behaviour—self-injury—as a maladaptive attempt to regulate overwhelming affect. By mapping this chain, the therapist validates Anna’s experience (“It makes sense that you felt unheard and that the pain became unbearable”) while simultaneously pointing to the need for new skills (mindfulness, distress tolerance, emotion regulation) that can replace self-harm.

Anna’s treatment proceeds with the dual focus of validation and change. In

validation, the therapist acknowledges the legitimacy of Anna's emotional experience and the historical context that taught her that extreme displays were the only way to be seen. In the change component, Anna learns to observe her emotions through mindfulness practice, to label them using the "What, When, Where" technique, and to employ opposite-action strategies to reduce emotional intensity. Over several weeks, Anna reports a reduction in the frequency of self-harm and an increased ability to tolerate distress without escalation. The biosocial theory provides a framework that explains why these changes are possible: the biological vulnerability remains, but the social environment—now the therapeutic relationship and the skills group—offers consistent validation and new behavioural repertoires that gradually reshape Anna's learned responses.

Research evidence supports the central tenets of the biosocial theory. Randomised controlled trials, such as those conducted by Linehan et al. (2006) and later meta-analyses by Kliem et al. (2015), demonstrate that DBT reduces suicidal behaviours, self-injury, and psychiatric hospitalisation in individuals with borderline personality disorder. Moreover, studies examining the mechanisms of change, including those by Neacsiu et al. (2010), have identified that improvements in emotion regulation skills mediate the reduction in self-harm, aligning with the biosocial premise that teaching adaptive regulation replaces maladaptive survival strategies. Neurobiological investigations have also shown that DBT participants exhibit increased prefrontal activation during emotion regulation tasks after treatment, suggesting that the skills curriculum can modify the underlying neural circuitry associated with emotional vulnerability.

The biosocial theory also informs the hierarchical structure of DBT treatment targets. At the base of the hierarchy lies the acquisition of life-threatening behaviour reduction, reflecting the urgent need to replace self-harm with safer alternatives. The next tier addresses therapy-interfering behaviours, recognising that the client's history of invalidation may manifest as resistance or non-adherence within the therapeutic context. The third tier focuses on skill acquisition, directly targeting the deficits identified by the biosocial model—namely, the inability to label, understand, and modulate emotions. Finally, the top tier aims at enhancing the quality of life, reflecting the ultimate goal of building a life worth living beyond the constraints imposed by emotional dysregulation.

In sum, the biosocial theory provides a compassionate yet precise lens through which clinicians can understand the genesis of emotional dysregulation and the consequent maladaptive behaviours that characterise borderline personality disorder and related presentations. By recognising that dysregulation arises from the product of emotional vulnerability and an invalidating environment, therapists can validate the client's lived experience while guiding them towards the acquisition of new, adaptive skills. The theory's transactional nature avoids blame, instead highlighting the mismatch between a child's innate sensitivity and the surrounding environment's capacity to respond. This understanding underpins every element of DBT—from validation techniques to skills training, from chain analysis to the treatment hierarchy—ensuring that the therapy not only addresses the symptoms but also remediates the developmental deficits that gave rise to them. The result is a treatment that honours the client's humanity while fostering genuine, lasting change, embodying the dialectical balance that defines DBT.




FIGURE 1.1 The four DBT skills modules

Linehan's skills curriculum balances acceptance and change. Mindfulness and distress tolerance teach how to be with experience as it is; emotion regulation and interpersonal effectiveness teach how to change it. Core mindfulness underpins all three of the others.

Points worth keeping

- DBT was built where pure change approaches failed
- Dysregulation = emotional vulnerability x invalidating environment
- Behaviour is learned survival, and can be relearned

PRACTICE TASK

Describe in three sentences how an ordinary family could invalidate a highly sensitive child without any malice.

CHAPTER 2

The dialectic: acceptance and change together

Dialectical behaviour therapy (DBT) was born out of Marsha Linehan's relentless search for a way to help people whose lives were dominated by self-destructive urgency. In the early 1980s she observed that the traditional binary of "accept" versus "change" was not merely unhelpful but actively harmful. When a client was in the grip of intolerable emotional pain and was engaging in life-threatening behaviours, the therapist's instinct could swing to pure acceptance – soothing, validating, and refraining from any demand for change – or to pure change – confronting the danger, imposing limits, and teaching new skills. Linehan's clinical experiments demonstrated that either pole alone led to collapse: unmitigated acceptance left the client entrenched in lethal patterns, while untempered change re-triggered the client's chronic sense of invalidation, prompting escalation or premature termination of therapy. The dialectical stance that underpins DBT therefore insists on holding both truths simultaneously, at full strength. It affirms that the client is doing the best they can with the resources they have, while also insisting that they must do better, try harder, and become more motivated to change. This is not a compromise that halves each claim; it is a synthesis that preserves the wholeness of both. The therapeutic relationship becomes the arena in which this tension is lived, and the client learns that the therapist can see both the effort and the despair without collapsing into either denial or condemnation.

The cornerstone of the acceptance side of the dialectic is validation. Validation in DBT is a precise, teachable technology rather than a vague notion of kindness. Linehan identified six hierarchical levels of validation, each building on the previous and each essential for creating the physiological and emotional safety required for change to land. The first level is simple attentiveness – staying awake, unbiased, and fully present while the client speaks. It is the therapist's commitment to listen without premature judgment or the urge to solve. The second level moves beyond listening to accurate reflection, echoing back the client's words in a way that demonstrates that the therapist has heard exactly what was said. The third

level deepens this by articulating the unspoken, naming the feeling or need that the client has not yet labelled, and remaining open to correction if the therapist's inference is off-target. The fourth level situates the client's response within their personal history, acknowledging that given what they have lived through, their reaction is understandable. The fifth level, often described as the workhorse of validation, validates the client's present moment experience, finding the kernel of truth in behaviour that may appear disordered – for example, recognising that a surge of rage at a cancelled appointment is proportionate when cancellations have repeatedly signalled abandonment in the client's past. The sixth and final level is radical genuineness, treating the client as a capable equal, speaking honestly, and, when necessary, delivering the hard truth with respect and compassion. These levels are not optional embellishments; they are the scaffolding that un-braces a nervous system that has been chronically told its responses are wrong. When the brain is no longer defending against perceived invalidation, it regains the bandwidth to process new information, integrate skills, and engage in behavioural change.

The technical claim that underlies the six-level model is simple yet profound: invalidated individuals cannot learn; they can only defend. Neuroscientific research on the stress response supports this assertion. Chronic activation of the amygdala and the hypothalamic-pituitary-adrenal (HPA) axis, as seen in people who experience repeated invalidation, reduces prefrontal cortical capacity for executive functioning, thereby impairing the ability to attend to, retain, and apply new learning (McEwen, 2007). Validation, by signalling safety, down-regulates the stress response, allowing the prefrontal cortex to resume its role in planning, problem-solving, and skill acquisition. Consequently, every DBT change technique – whether it is behavioural analysis, contingency management, or skills teaching – must be preceded and accompanied by validation. The rule is not "validation then change" as a polite prelude, but "validation is the platform on which change lands". Without that platform, change attempts are likely to be met with resistance, shame, or disengagement.

Consider a concrete worked example that illustrates the dialectical integration of acceptance and change. Maya, a 28-year-old woman with borderline personality disorder, presents after a self-harm episode triggered by a humiliating comment from her sister at a family gathering. She reports feeling "worthless" and "completely out of control". A therapist who leans

solely on acceptance might say, “That sounds incredibly painful, Maya, I hear you,” and then pause, hoping the validation alone will soothe her. A therapist who leans solely on change might say, “You need to stop using self-harm as a coping strategy and start using the distress tolerance skills we have practised,” perhaps adding a directive to call crisis services. Both approaches leave Maya feeling either unheard in her urgency or judged for her coping method.

A dialectical response weaves the two strands together. The therapist first engages at Level Five validation: “Being humiliated by the person who is supposed to protect you, right there in front of everyone, would make anyone feel an overwhelming sense of shame and rage. Given how often you have felt dismissed by family, your reaction makes complete sense in this moment.” This statement acknowledges Maya’s present emotional reality, links it to her broader relational history (Level Four), and names the specific feeling she may not have fully articulated. The therapist then transitions to the change side, anchored in the same validation: “At the same time, the self-harm is a dangerous way of trying to escape that shame, and it puts the life we are building together at risk. Let’s walk through the chain of events that led to the cutting, identify the exact point where a distress tolerance skill – perhaps the TIP (Temperature, Intense exercise, Paced breathing, Paired muscle relaxation) skill – could have been used, and practice it now so you have a concrete alternative the next time a similar situation arises.” In this moment the therapist has affirmed Maya’s experience, validated the logic of her emotional response, and simultaneously offered a concrete change strategy, demonstrating that “doing your best” and “must do better” can coexist without diminishing each other.

The dialectical stance also informs the therapist’s broader therapeutic stance. It requires a mindset of radical openness, where the therapist continuously reminds themselves that the client’s current coping, however maladaptive, is the best they can do with the skills they possess at that moment. Simultaneously, the therapist maintains a firm belief that the client can acquire more adaptive skills and therefore must be encouraged to try harder. This duality is reflected in the DBT hierarchy of treatment targets: life-threatening behaviours are addressed first (change), but the therapist does so from a place of deep acceptance, acknowledging the client’s fear and pain while gently nudging towards safer alternatives.

Research over the past three decades has reinforced the efficacy of this dialectical approach. Randomised controlled trials of DBT for borderline personality disorder consistently demonstrate reductions in self-harm, suicide attempts, and inpatient days (Linehan et al., 2006; Kliem et al., 2010). Meta-analyses attribute a substantial portion of these outcomes to the validation component, noting that therapies which incorporate explicit validation techniques show larger effect sizes than those that rely solely on behavioural change (Swales & Heard, 2009). Moreover, neuroimaging studies have begun to reveal that participants who receive validation-rich interventions exhibit increased activation in the ventromedial prefrontal cortex, a region implicated in emotion regulation and self-referential processing (Siegel et al., 2019). These findings dovetail with the theoretical claim that validation creates the neurobiological conditions necessary for change.

In practice, the dialectic shapes every interaction, from the opening of a session to the closing summary. At the start of a session, the therapist may begin with a brief validation of the client's recent efforts, for example, "I noticed you used the opposite-action skill when you felt angry earlier this week, and that took a lot of courage." This acknowledges the client's best-effort performance (acceptance) while subtly reminding them that there is still room for growth (change). Throughout the session, when the client presents a problem, the therapist cycles through the validation levels before introducing a change strategy, ensuring that the client feels heard and understood before being asked to try something new. At the end of the session, a summary that mirrors the dialectical language – "You did your best today by sharing how painful that argument was, and you also committed to practising the self-soothing skill tomorrow" – reinforces the twin messages.

It is essential to recognise that the dialectical stance is not a static formula but a dynamic process that requires therapist mindfulness. The therapist must constantly assess whether they are leaning too heavily towards acceptance, risking collusion with harmful behaviours, or too heavily towards change, risking invalidation and resistance. Supervision and consultation teams, a core component of DBI (Dialectical Behavioural Intervention) training, provide the reflective space to calibrate this balance. In supervision, therapists are encouraged to review recorded sessions, identify moments where validation may have been insufficient, and rehearse alternative

phrasing that better captures the six-level hierarchy. This ongoing refinement ensures that the therapist's stance remains genuinely dialectical.

The dialectic also extends beyond the therapist-client dyad to the broader treatment system. In DBT, the skills training group, the individual therapy, and the phone coaching all operate under the same acceptance-change framework. In the skills group, validation is woven into the teaching of each module – for instance, when teaching mindfulness, the facilitator validates participants' difficulty staying present before introducing the skill of observing without judgment. In phone coaching, the therapist validates the client's immediate emotional state before guiding them to use a skill in the moment. This consistency across modalities reinforces the message that acceptance and change are inseparable.

Finally, the dialectical principle of holding both "doing your best" and "must do better" resonates with the philosophical roots of DBT. The term "dialectic" originates from the ancient Greek tradition of dialogue, where opposing ideas are examined in relation to one another to arrive at a higher synthesis. In the context of DBT, the opposing ideas are acceptance and change. By refusing to settle for a middle ground that dilutes each, DBT creates a therapeutic synthesis that empowers clients to move from a place of chronic invalidation to one of skilful self-direction. This synthesis is not merely theoretical; it is operationalised through the six levels of validation and the systematic layering of change strategies upon that validated foundation.

In sum, the dialectic of acceptance and change is the heart of DBT. It demands that therapists simultaneously honour the client's current best effort and challenge them to improve, that they master the six-level validation technology, and that they deploy change techniques only after validation has created a safe platform. The empirical record, neurobiological evidence, and clinical anecdotes converge on the conclusion that without validation, change cannot take root; without change, validation alone cannot alleviate the suffering that drives self-destructive behaviour. The therapist who embodies this dialectical stance offers a powerful, evidence-based promise to the client: "I see the effort you are making, and I also see the possibility for you to do more, and I will walk with you on that journey."




FIGURE 2.1 The four DBT skills modules

Linehan's skills curriculum balances acceptance and change. Mindfulness and distress tolerance teach how to be with experience as it is; emotion regulation and interpersonal effectiveness teach how to change it. Core mindfulness underpins all three of the others.

Points worth keeping

- Hold both: doing your best, and must do better
- Validation has six levels and is a precise technology
- Change only lands on a platform of validation

PRACTICE TASK

Write a two-sentence response to "I screamed at my partner again" that validates fully without approving the behaviour.